

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1-7. (Canceled)

8. (Currently Amended) A method for decreasing comedogenesis in skin suffering from acne by preventing thickening of sebum due to oxidation brought about by bacterial components and UV radiation for treating acne, ~~seborrheic dermatitis, or skin disorders due to the formation of comedos,~~ the method comprising:

applying to skin a dermatological and/or cosmetic composition comprising at least one lipophilic antioxidant selected from the group consisting of gallates, flavonoids extracted from ginkgo biloba, and butylated hydroxytoluene (BHT).

9. (Previously Presented) The method according to claim 8, wherein the composition further comprises a hydrophilic antioxidant.

10. (Previously Presented) The method according to claim 8, wherein the lipophilic antioxidant is dodecyl gallate.

11. (Previously Presented) The method according to claim 9, wherein the hydrophilic antioxidant is selected from the group consisting of mannitol and vitamin C.

12-13. (Canceled)

14. (Previously Presented) The method according to claim 8, wherein a total amount of antioxidant is from 0.0001 to 20% by weight of the composition.

15. (Previously Presented) The method according to claim 9, wherein a total amount of antioxidant is from 0.0001 to 20% by weight of the composition.

16. (Previously Presented) The method according to claim 10, wherein a total amount of antioxidant is from 0.0001 to 20% by weight of the composition.

17. (Previously Presented) The method according to claim 11, wherein a total amount of antioxidant is from 0.0001 to 20% by weight of the composition.
18. (Previously Presented) The method according to claim 14, wherein the total amount of antioxidant is from 0.0001 to 10% by weight of the composition.
19. (Previously Presented) The method according to claim 15, wherein the total amount of antioxidant is from 0.0001 to 10% by weight of the composition.
20. (Previously Presented) The method according to claim 16, wherein the total amount of antioxidant is from 0.0001 to 10% by weight of the composition.
21. (Previously Presented) The method according to claim 17, wherein the total amount of antioxidant is from 0.0001 to 10% by weight of the composition.
22. (Previously Presented) The method according to claim 18, wherein the total amount of antioxidant is from 0.001 to 2% by weight of the composition.
23. (Previously Presented) The method according to claim 19, wherein the total amount of antioxidant is from 0.001 to 2% by weight of the composition.
24. (Previously Presented) The method according to claim 20, wherein the total amount of antioxidant is from 0.001 to 2% by weight of the composition.
25. (Previously Presented) The method according to claim 21, wherein the total amount of antioxidant is from 0.001 to 2% by weight of the composition.